

the 1990s, the number of people with a mental health problem has increased in the UK. The prevalence of mental health problems has increased from 10% in 1986 to 15% in 1999 (Mental Health Act 2003). The prevalence of mental health problems has also increased in other countries (Mental Health Act 2003).

The prevalence of mental health problems has increased in the UK because of a number of factors. One of the main factors is the increase in the number of people who are taking medication for mental health problems. The number of people taking medication for mental health problems has increased from 1.5 million in 1986 to 3.5 million in 1999 (Mental Health Act 2003).

Another factor is the increase in the number of people who are seeking help for mental health problems. The number of people seeking help for mental health problems has increased from 1.5 million in 1986 to 3.5 million in 1999 (Mental Health Act 2003). This is because of a number of factors, including the increase in the number of people who are taking medication for mental health problems.

The increase in the number of people seeking help for mental health problems is also due to the fact that more people are aware of mental health problems and the services available to help them. This is because of a number of factors, including the increase in the number of people who are taking medication for mental health problems.

The increase in the number of people seeking help for mental health problems is also due to the fact that more people are aware of mental health problems and the services available to help them. This is because of a number of factors, including the increase in the number of people who are taking medication for mental health problems.

The increase in the number of people seeking help for mental health problems is also due to the fact that more people are aware of mental health problems and the services available to help them. This is because of a number of factors, including the increase in the number of people who are taking medication for mental health problems.

The increase in the number of people seeking help for mental health problems is also due to the fact that more people are aware of mental health problems and the services available to help them. This is because of a number of factors, including the increase in the number of people who are taking medication for mental health problems.

The increase in the number of people seeking help for mental health problems is also due to the fact that more people are aware of mental health problems and the services available to help them. This is because of a number of factors, including the increase in the number of people who are taking medication for mental health problems.

OBJAŚNIENIA DO MAKIETY



Obszar projektu ze spadem

Ta linia wyznacza obszar projektu, do którego należy „wyciągnąć” tło projektowanej grafiki.



Obszar użytku / linia cięcia

Ostateczny wymiar i wygląd użytku po cięciu. Jeżeli linia cięcia jest inna od umieszczonej na makiecie, należy ją dołączyć do projektu na dodatkowej stronie lub jako dodatkowy plik.



Margines wewnętrzny

W tym obszarze można bezpiecznie umieszczać istotne elementy projektu bez obawy, że zostaną one obcięte lub będą zbyt blisko krawędzi użytku.



Linie gięcia / bigowania

Istotne elementy grafiki należy odsunąć od linii bigu o 3-5 mm.



Należy unikać wyraźnych przejść tonalnych oraz granic kolorów/grafiki na liniach bigowania.

UWAGI

Nie należy zmieniać położenia szablonu na stronie, ani wielkości samej strony..

Wszystkie elementy w kolorze czarnym (pasery, znaczniki, napisy) należy pozostawić w projekcie, nie zmieniając ich położenia.

Należy pamiętać aby z projektu do druku usunąć wszystkie pozostałe elementy szablonu, w przeciwnym wypadku zostaną one wydrukowane.